

Resurvey of Exteriors of T. 18 N., R. 45 E.

Chains.	E. bet. secs. 2 and 35.
13.60	Road to Hot Springs, bears NW. and SE.,
40.00	Find no trace of $\frac{1}{4}$ sec. cor. Set a granite stone 14x10x8 ins., 10 ins. in the ground, for $\frac{1}{4}$ sec. cor. to secs. 2 and 35, marked $\frac{1}{4}$ on N. face. Dig pits, 18x18x12 ins. E. and W. of cor, 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of cor.
55.40	Enter belt of thick, high sagebrush.
57.80	Leave same.
80.00	No cor. found, after diligent search. Point for cor. falls near E. side of the road. Set a stone 15 lks. E., granite 18x12x8 ins., 12 ins. in the ground for a witness cor. to secs. 1, 2, 35 and 36, marked with 1 notch on E. and 5 notches on W. edge, with W. C. on NE. face. Dig pits, 18x18x12 ins. in each sec. $5\frac{1}{2}$ ft. dist., and raise a mound of earth 4 ft. base 2 ft ft. high W. of cor. Land, level. Soil, sand loam, first rate. Timber, sagebrush. Level, 80.00 chs.
.15	E. bet. secs. 1 and 36.
8.00	Witness cor. previously set. Descend.
14.00	Enter heavy sagebrush.
19.60	Water channel, course S.,
20.10	Water channel, course S.,
40.00	Find no trace of $\frac{1}{4}$ sec. cor. to secs. 1 and 36. Set a granite stone 14x12x5 ins., 9 ins. in the ground for $\frac{1}{4}$ sec. cor. to secs. 1 and 36, marked $\frac{1}{4}$ on N. face and dig pits, 18x18x12 ins. E. and W. of stone 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of cor.
47.85	Water channel, course SE.,