

Resurvey of Exteriors of T. 18 N., R. 45 E.

Chains N. 0° 8' E. on E. bdy. of sec. 1.

2.64 Set a granite stone 18x12x6 ins., 12 ins. in the ground for cor. to secs. 6 and 7, marked with 5 notches on S. and 1 notch on N. edge; dig pits, 18x18x12 ins., in each sec. 5½ ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high E. of cor.

27.65 Descend.

34.65 Ascend.

40.00 Set a granite stone, 16x12x6 ins., 11 ins. in the ground, for ¼ sec. cor. to sec. 1, marked ¼ on W. face, and raise a mound of stone 2 ft. base, 1½ ft. high W. of cor. Pits impracticable.

42.64 Set a granite stone, 16x12x10 ins., 11 ins. in the ground for ¼ sec. cor. to sec. 6, marked ¼ on W. face. Dig pits 18x18x12 ins., N. and S. of stone 3 ft. dist. and raise a mound of earth 3½ ft. base, 1½ ft. high W. of cor.

47.50 Ravine, course E.,
82.68 Old Tp. cor. which I destroy and re-establish at same point cor. to Tps. 18 and 19 N., Rs. 44 and 45 E. I set a granite stone 18x12x6 ins., 12 ins. in the ground, marked with 6 grooves on E., W. and S. edges, and raise a mound of stone, 2 ft. base, 1½ ft. high S. of cor. Pits impracticable.

Land, mountainous.

Soil, stony, second rate.

Timber, pine, cedar, sagebrush.

Mountainous, very difficult to survey, 82.68 chs.

April 12, 1909.