Chains From the cor. of secs. 10, 11, 14 and 15, I run S. 89°

E. bet. secs. 11 and 14.

7.90 Ridge, bears E. and W.,

11.30 Water channel, course W. of N.,

17.00 Ridge, hears E. and W.,

20.90 Ascend mountain,

39.65 Find remains of old \(\frac{1}{4} \) sec. cor. These I destroy and at same point set a granite stone 18x8x6 ins. on Ledge of rock, supported by mound of stone, for \(\frac{1}{4} \) sec. cor. marked \(\frac{1}{4} \) on N. face, from which

A pine, 30 ins. diam., bears S. $24\frac{3}{4}$ o W. 123 lks. dist., marked $\frac{1}{4}$ S 14 B T.

A pine, 8 ins. diam., bears N. $51\frac{1}{2}$ ° E., 45 lks. dist., marked $\frac{1}{4}$ S'll B T.

Land; mountainous.

Soil, stony, third rate.

Timber, pine, cedar, mahogany and sagebrush.

Mountainous land, difficult to survey, 39.65 chs.

May 23, 1909.

GENERAL DESCRIPTION

The portion of this township surveyed in this contract is very rough and mountainous. It is mineralized but there are no producing mines. There are settlements in the northern part. It is all good grazing land.

William Mearney
U.S. Deputy Surveyor.

(Note)

Much of the time during which this work was being prosecuted, myself and men were a long distance from the office of a Notary Public, and at no time was it practicable to assemble the men in the office of a Notary Public. I therefore administered the official oath to these men myself in my official capacity as a U.S.Deputy Surveyor.

William Jearney