

Retracement of the line bet. Tp. 35 N., Rs. 69 and 70<sup>(E)</sup> (3)

chains	
40.00	Pass 2 lks. W. of the $\frac{1}{4}$ sec. cor. The course of this half mile therefore is S. $0^{\circ} 2' E$ .
80.00	Pass 2 lks. W. of the cor. of secs. 19-24-26 and 30, a lime stone 6x13x13 ins., above ground, firmly set and marked and witnessed as described by the Surveyor General  The course of this $\frac{1}{2}$ mile is therefore South.
40.03	South bet. secs. 25 and 30 Pass 1 lk. E. of the $\frac{1}{4}$ sec. cor.  The course of this $\frac{1}{2}$ mile is therefore S. $0^{\circ} 3' W$ .
80.01	Pass 1 lk. W. of the cor. of secs. 25-30-31 and 36:  A lime stone 6x12x18 ins., above the ground, firmly set, and marked and witnessed as described by the Surveyor General. The course of this $\frac{1}{2}$ mile is therefore S. $0^{\circ} 2' E$ .
	From the above described corner I run:
40.02	S. bet. secs. 31 and 36 Pass 1 lk. E. of $\frac{1}{4}$ <sup>sec</sup> cor.
80.02	Pass 2 lks. East of the cor. of secs. 1-6-31 and 36: a limestone 10x5x4 ins. above the ground, marked and witnessed as described by the Surveyor General. The course of this mile is therefore S. $0^{\circ} 1' W$ .
	March 25-1909
	Survey of the S. Bdy. of Tp. 35 N.R. 69 E.
	I begin at the cor. of secs. 2-3-34 and 35 on the above named line, which I established March 30, 1909.
	April 5: At 9 a.m. l.m.t., I set off $40^{\circ} 50'$ on the lat. arc: $6^{\circ} 2' N$ . on the decl. arc and determine the true meridian and run
	West bet. secs. 3 and 34 Across level land
15.80	Road, bears N. and S.
40.00	Set a lime stone 12x10x5 ins., 8 ins. in the ground, for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on the N. face: dig pits 18x18x12 ins. E. and W. of stone, 3 ft. dist., raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
80.00	Set a cedar post, 3 ft. long, 4 ins. square, with marked stone, 24 ins. in the ground for cor of secs. 3-4-33 and 34 marked:
	T 35 N S 34 on N.E.