

10 34
~~N. S. and E.~~
 Survey of Boundary of T. 28 N. R. 52 E.

Chains.

43.49 Ridge, bears N. and S.
 46.51 Small draw, course S.
 47.27 Ridge, bears N. and S.
 59.55 Creek bottom and canon, course S.W. Ascend.
 80.00 Intersect E boundary 1.35 chs. S. of the cor previously
 set, for the cor. of Tps. 28 and 29 N. R's 52 and 53 E.
 the markings referring to R. 52 E.
 on which I destroy, and at a point 1.35 chs S. I establish
 the cor. of Tps. 28 and 29 N R 52 E. as follows;
 I set a rhyolite stone 16x10x8 ins. 11 ins. in the ground
 closing
 for cor. of Tps. 28 and 29 N R. 52 E. Marked 29^N on N,
 28^N on S and 52^E on the W. face with 6 grooves on the N.
 S. and W. faces, and raise a mound of stone 2 ft, base
 1½ ft. high W. of cor. Pits impracticable.
 Land, mountainous.
 Soil, stony, second rate.
 Soil, stony second rate.
 Timber, cedar and sagebrush.
 Mountainous land 80.00 chains.

July 9th. 1909.

Subdivisions of T, 28 N. R. 52 E.

July 10th 1909.

At 7 h. 3m. A.M. I set off 220 18' N on the decl.
 arc, and 400 14' on the lat, arc, and determine a meri-
 dian with the solar at the cor, of secs. 35, 36, 1 and
 2 on the S. bdy. of T. 28 N. R. 52 E. Thence I run
 N. 00 1' W. bet secs 35, and 36.

14.53 Edge of bluff, S of deep canon.
 25.06 Wood road in canon, bears N.E. and S.W.
 29.60 Creek bottom, course W.
 34.70 Opposite, or N. bluff of canon.
 39. 52 Top of tableland.
 40.00 Set a limestone 24x12x10 ins. 18 ins. in the ground,
 for ¼ sec. cor. marked ¼ on W. face, and raise a mound
 of stone 2 ft. base 1½ ft. high. W of cor.
 Pits impracticable.
 50.33 Old Pony road, bears N.E. and S.W.