

Retracement of E. Boundary of T. 21 N. R 23 E.

Chains

18x18x12 ins. N. and S. of stone 3 ft. dist. and raise a mound of earth 3 1/2 ft. base 1 1/2 ft. high W. of cor.

Line bears N. Co 14' W.

Continue same course and measurement N. from above cor.

79.94 Fall 30 1/2 lks. W. of cor. of secs. 19, 24, 25 and 30. Which is an andesite stone 12x8x6 ins. above ground, marked with 4 grooves on the N. face and 2 grooves on the S. face, with 4 pits, one in each section, and a mound of earth 4 ft. base 2 ft. high W. of cor. Line bears N. Co 26' E. This cor. was established by Deputy Gorlinski.

From above cor. I run N. bet. secs. 19 and 24.

40.00 No. 1/4 sec. cor. found after a diligent search. Set a temp. 1/4 sec. cor.

79.12 Fall 2 lks E. of cor. of secs. 13, 18, 19 and 24. Which is an andesite stone 6x5x4 ins. above ground, marked with 3 grooves on the N. and 3 grooves on the S. face, with 4 pits, one in each sec, 5 1/2 ft. dist. and a mound of earth 4 ft. base 2 ft. high W. of cor.

Line bears N. Co 1' W.

This cor. was established by Deputy Gorlinski.

Retracement of Subdivisions of T. 21. N. R 23 E.

From the cor. of secs. 13, 18, 19 and 24, I run, West on a random line bet. secs. 13 and 24.

40.34 Fall 296 lks. S. of 1/4 sec. cor. An andesite stone, 8x6x5 ins above ground, marked 1/4 on N. face with a mound of stone 2 ft. base 1 1/2 ft, high N. of cor., as established by Deputy Gorlinski.

Line bears N 85o 48' W. 40.44 chs.

Continuing measurement W, from 1/4 sec. cor.

80.67 Fall 4 lks. S. of cor. of secs. 13, 14 23 and 24. established by Deputy Gorlinski. An andesite stone 9x9x6 ins. above ground, marked with 3 notches on the S. and 1 notch on the E edge, with a mound of stone W. of cor.

Line bears N 89o 57' W. 40.33 chs.

See Supplemental Notes, Book "E."