

Resurvey of Subdivisions of T. 21 N. R 23 E.

Chains.	N. 00 4' E on a random line bet. secs. 2 and 3.
40.90	Fall 4 lks E. of $\frac{1}{4}$ sec. cor. bet secs 2 and 3. Thence N. 00 4' E. from $\frac{1}{4}$ sec. cor. , but continue my measurement.
81.87	Intersect N. bdy. 9.19 chs. W. of cor. of secs. 2, 3, 34 and 35. In as much as I am directed to set a closing cor. against this line, providing I do not close within limits, and the cor. closed upon is not an original cor. I return to the cor of secs. 2, 3, 10 and 11, and run, N. 00 4' N. on a true line bet. secs. 2 and 3.
9.35	Road to Jones and Fort Defiance Canons, bears NW. and SE.
18.90	Road to Jones canon, bears NE. and SW.
25.90	Road, to Jones and Fort Defiance Canons, bears SW and NE.
36.00	Junction of Jones and Fort Defiance canons, course NE.
40.90	The $\frac{1}{4}$ sec. cor. bet. secs. 2 and 3. An andesite stone 16x12x6 ins. in a mound of stone, marked $\frac{1}{4}$ on W. face. I destroy all traces of the old cor. and in the same place I set an andesite stone, 16x12x6 ins. 11 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W. face and raise a mound of stone 2 ft. base $1\frac{1}{2}$ ft. high W. of cor. Pits impracticable.
48.00	Ridge, bears E. and W.
60.50	Draw, course E.
81.87	Intersect N. bdy. 9.25 chs. W. of cor of secs. 2, 3, 34 and 35. I set a basalt stone 24x12x12 ins. 18 ins. in the ground for closing cor. to secs. 2 and 3. marked C C on the S. with 4 grooves on the W. and 2 grooves on the E. face; and raise a mound of stone 3 ft. base $1\frac{1}{2}$ ft high S. of cor. Pits impracticable. I now change the marks and witnesses on the cor. of secs. 2, 3, 34 and 35 to refer to secs. 34 and 35 only. Land, mountainous. Soil, stony, 3rd. rate. Timber, sagebrush. Mountainous land 81.87 chs.