

Resurvey of East boundary of T. 21 N. R 23 E.

Chains. 66.55	Fall 41 lks. N. of the old cor. of secs. 34 and 35 of T. 22 N R 23 E. Last $\frac{1}{2}$ of line bears S 89° 25' W. 40.00 chs.
	Thence I begin the resurvey as follows:
	N. 0° 32' W. bet. secs. 31 and 36.
40.33	The old $\frac{1}{4}$ sec. cor. An andesite stone 10x8x6 ins. above ground, marked $\frac{1}{4}$ on W. face, with a mound of stone 2 ft. base $1\frac{1}{2}$ ft. high W. of cor. Change course to N. 0° 21' W
53.05	Toe of slope bears E. and W,
59.35	Ridge, bears NE. and SW.
65.05	Toe of slope bears E. and W.
74.05	Wagon road, Olinghouse and Wadsworth, bears E. and W.
77.25	Wash, course NE.
81.05	The old cor. of secs. 25, 30, 31 and 36. An andesite stone 8x6x6 ins. above ground, marked with 5 grooves on the N. and 1 groove on the S face, with a mound of stone 2 ft. base $1\frac{1}{2}$ ft. high W. of cor.
	Land, rolling.
	Soil, sandy and stony, 2nd. rate.
	timber, sagebrush.
	Rolling land, 81.05 chs.
	N. 0° 14' W. bet. secs 25 and 30.
21.85	Road, bears SW. and NE.
40.58	the old $\frac{1}{4}$ sec. cor. bet. secs. 25 and 30. A cedar post 3 ins. square, marked $\frac{1}{4}$ on W. face, standing in a mound of earth. I destroy all traces of the old cor and in the same place I set an andesite stone 18x10x6 ins. 12 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W. face and raise a mound of stone 2 ft. base $1\frac{1}{2}$ ft. high W. of cor. Pits impracticable. Change course to N. 0° 26' E.
46.55	Creek bed, dry, course E.
79.94	The old cor. of secs. 19, 24, 25 and 30. An andesite stone 12x8x6 ins. above ground, marked with 4 grooves on the N. face and 2 grooves on the S. face, with a pit 18x18x12 ins. in each sec. $5\frac{1}{2}$ ft. dist, and a mound of earth 4 ft. base 2 ft. high W. of cor. An old stake with illegible marks is still standing at the cor.