

SUBDIVISION OF T. 39 N., R. 26 E.


Chains

N. 0° 3' W., on a random line bet. secs. 4 and 5.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

110.99 Intersect N. bdy. of Tp. 7.65 chs. W. of cor. of secs. 32 and 33, described in book of exteriors.

At point of intersection, set an iron post, 3 ft. long, 2 ins. diam.; 24 ins. in the ground, for closing cor. of secs. 4 and 5, with brass cap mkd:



1910

and dig pits, 24 x 18 x 12 ins., crosswise on each line, E. and W., 3 ft., and S. of post, 7 ft. dist., and raise a mound of earth, 4 ft. base, 2 ft. high, S. of cor.

Thence I run.

S. 0° 3' E. on a true line bet. secs. 4 and 5.


Over level land, (through thick undergrowth).

42.99 Begin ascent.

46.90 Point of spur, 40 ft. above flat, bears N. 63° E., and S. 63° W.; descend.

54.96 Head of canyon, 9.82 chs. wide, 60 ft. below point of spur, course E., ascend.

70.99 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground, for  $\frac{1}{4}$  sec. cor. with brass cap mkd:



1910

and raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$  ft. high, W. of cor.

79.14 Rocky point, 123 ft. above canyon, bears E. and W., descend.

92.89 Draw, 5 chs. wide, 80 ft. below rocky point, course S. 78° E., ascend.