

## Retracement of 5th Std.Par.N. (N.Bdy.T.25 N.R.18 E.)

## 8. Resurvey of Subdivisions in T.25 N., R.18 E.

Chs.	
39.90	At this point I find the $\frac{1}{4}$ sec. cor. falling 1.40 chs. N. of my line. It is a basalt stone 14x9x4 ins. lying on the ground on a mound of earth and stone and marked $\frac{1}{4}$ .
79.85	At this point I find the cor. of secs. 4, 5, 8 and 9, falling 1.47 chs. N. of my line. It is a granite stone 12x8x3 ins. set in a mound of stone and marked with 5 notches on the S. and 4 notches on the E. edge.
From the cor. of secs. 4, 5, 8 and 9, I run S. on a blank line, retracing the line between secs. 8 and 9.	
40.00	At this point I search diligently but find no $\frac{1}{4}$ sec. cor.
I return to the cor. of secs. 4, 5, 8 and 9, and run N. on a blank line retracing the line between secs. 4 and 5.	
40.00	At this point I search diligently but find no $\frac{1}{4}$ sec. cor.
80.47	At this point I search diligently but find no closing corner to secs. 4 and 5.
I now proceed to mile post 133 on the boundary line between the States of Nevada and California and run N. on a blank line, retracing the State line. Mile post 133 is a pine post 4x4 ins. by 4 $\frac{1}{2}$ ft. above ground, firmly set in the ground and marked CAL on west side, NEV on east side, 133 on N. side.	
18.07	At this point I intersect the Standard closing corner to Ts.25, and 26 N., R.18 E., on the 5th Standard Parallel North. It is a pine stake 15 ins. long, 2 ins. in dia. set in a mound of rock. It is so badly decayed that the markings are undecipherable.
80.00	At this point I search diligently but do not find any traces of mile post 132 on the boundary line between California and Nevada.
160.00	At this point I intersect mile post 131 on the boundary line between California and Nevada. It is a pine post 4 by 4 ins. by 4 $\frac{1}{2}$ ft. above ground, firmly set in the ground and marked CAL on W. side, NEV on E. side, 131 on N. side.
Retracement of 5th Std.Par.N. (N.Bdy.T.25N.R.18E.)	
I return to the Standard Closing Cor. of Ts. 25 and 26 N., R. 18 E. on the 5th Standard Parallel North. I destroy all traces of this corner and its accessories and re-establish it at the same point as follows:	
Set a granite stone 15x10x7 ins., 12 ins. in the ground for Standard Corner to T.25 and 26 N., R. 18 E., marked S.C. on N., CAL on W., NEV on E. side with 6 grooves on N. and S. and 5 grooves on E. side. Raise a mound of stone 2 ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.	
From this corner I run E. on a blank line retracing the 5th Standard Parallel North, south of sec. 32.	
39.75	At this point I intersect the standard $\frac{1}{4}$ sec. cor. It is a granite stone 10x6 ins. by 8 ins. above ground firmly set in the ground, marked SC $\frac{1}{4}$ on N. face and witnessed by a mound of stone 2 ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.