79.23

Resurvey of the 8th Standard Parallel N., R. 31 \pm .

	Resurvey of the 8th Standard Parallel N., R. 31 E.
Chains 403.60	The old S. C. of secs. 31 and 32 bears north, 1.34 chs. dist., the same being a wooden post, $1\frac{1}{2}$ ins. sq., 18
	ins. above ground, firmly set, mkd. with 6 notches on N., 5 notches on E., and 1 notch on W. edge, with no indications of pits or mound of earth.
443.60	After diligent search I find no trace of the standard 1/4
	sec. cor. of sec. 31.
482.83	Fall 2.29 chs. S. of the old S. C. of T. 41 N., Rs. 30
18	and 31 E., which is a wooden post, 2 ins. sq., 31 ins.
	above a mound of earth, mkd. with 6 grooves on N., E.
	and W. edges. September 16, 1913.
	September 17: I reestablish the S. C. of T. 41 N., Rs. 30
	and 31 E., by setting an iron post, 3 ft. long, 3 ins.
	diam., 24 ins. in the ground, with brass cap mkd.
	T 41 N
	R 30 E R 31 E S 36 S 31
	1913
e 1 1	digging pits, 30 x 24 x 12 ins., crosswise on each line,
	E. and W., 4 ft., and N. of post, 8 ft. dist., and rais-
	ing a mound of earth, 5 ft. base, $2\frac{1}{2}$ ft. high, N. of
	the cor.
	Thence I run
	S. 89° 19' E., on a true line on S. bdy. sec. 31.
17.79 39.30	Over nearly level desert. Old C.C. of T.40 N., Rs. 30 and 31 E., bears S.36 lks.dist. A dry wash, course S. 10° W.
42.83	Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the
	ground, for standard 1/4 sec. cor., with brass cap mkd.
a	S 31
	1913
	dig pits, 18 x 18 x 12 ins., E. and W. of the post, 3
	ft. dist., and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$
·	ft. high, N. of the cor.

At the point of the old S. C. of secs. 31 and 32 I set a