Fractional Subdivision of T. 40 N., R. 31 E.

	Chains	
		S 2 ½ S 1
		. 1913
		and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W.
	-0	of the cor.
	58.50	A gulch, dry, course N. 70° E.; asc. 650 ft. on SE. slope
		to top of ridge.
	60.00	Enter scattering junipers, bears E. and W.
	70.00	The top of a ridge, bears N. 80° E. and S. 80° W.; desc.
	0- (-	320 ft. on N. slope to C. C.
	87.65	Intersect the 8th Standard Parallel N. at a point 3.97
	×	chs. S. 89° 53' E. of the S. C. of secs. 35 and 36,
		heretofore described, and at point of intersection I
-		set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in
		the ground, for C. C. of secs. 1 and 2, with brass cap
		mkd.
		T 41 N R 31 E S 35 S 36
		3 99 8 90 qc
	4	S 2 S 1 T 40 N R 31 E
		1913
	•	and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, S.
-	_	of the cor.
-		Land, mountainous.
		Soil, gravelly and rocky, 4th rate.
-		Timber and undergrowth, juniper. Some low sage,
		Mountainous land, 87.65 chs. September 18, 1913.
-		August 11: From the cor. of secs. 2, 3, 34 and 35 on the
		S. bdy. of the tp., heretofore described, I run
		N. 0° 2' W., between secs. 34 and 35.
	1	Over mountainous land.
		Desc. 280 ft. to sec. cor.
	40.00	Set an iron post, 3 ft. long, 1 in. diam., 21 ins. in the
	· . ·	ground to bed rock, and in a mound of stone, for $\frac{1}{4}$ sec.
		cor., with brass cap mkd.
-		