Fractional Subdivision of T. 40 N., R. 31 E.

Chains	
9.00	A creek, flowing, 3 lks. wide, course NW.; asc. 80 ft. to top of spur.
17.00	The top of a spur, projects W.; desc. 70 ft. to gulch.
25.60	A gulch, dry, course W.; asc. 90 ft.
36.00	The top of the ascent; continue along steep W. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground to bed rock, for $\frac{1}{4}$ sec. cor. referring to sec. 3, with brass cap mkd.

$$\frac{1}{4} \ S \ 3$$
$$1913$$

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of the cor.

46.00	Desc. 640 ft. to C. C.; also leave scattering junipers, bears E. and W.
69.60	A gulch, dry, course N. 30° W.
88.01	Intersect the 8th Standard Parallel N. at a point 4.36 chs. S. 89° 53' E. of the S. C. of secs. 33 and 34, and at the point of intersection I set an iron post, 3 ft. long, 2 ins. diam., 21 ins. in the ground to bed rock, and in a mound of stone, for C. C. of secs. 3 and 4, with brass cap mkd.

$$
\begin{array}{c|c}
\text{T 41 N} & \text{R 31 E} \\
\text{S 33} & \text{S 34} \\
\hline
\multicolumn{2}{c}{\text{CC}} \\
\text{S 4} & \text{S 3} \\
\text{T 40 N} & \text{R 31 E}
\end{array}
$$
$$1913$$

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, S. of the cor.

The $\frac{1}{4}$ cor. of secs. 4 and 5 having been set at 41.62 chs. southward from the C. C. of secs. 4 and 5, I return from the C. C. of secs. 3 and 4 S. 0° 2' E., and at

41.62	Set an iron post, 3 ft. long, 1 in. diam., on surface rock, in a mound of stone, for $\frac{1}{4}$ sec. cor. referring to sec. 4, with brass cap mkd.

$$S \ 4 \ \frac{1}{4}$$
$$1913$$

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W.