

## Resurvey of East bdy. of T. 41 N., R. 38 E.


Chains September 16, 1913.

This line had previously been established by Strover and Collins. Upon examination I found it to be out of limits both in alinement and measurement, therefore in accord with supplemental assignment instructions of Sept. 24, 1913, I destroy all trace of the old line and begin a new survey at the Standard cor. of Tps. 41 N., Rs. 38 and 39 E. previously described.

At 9h., a. m., 1. m. t., I set off  $2^{\circ} 43'$  N. on the decl. arc, and  $41^{\circ} 22'$  N. on the lat. arc, and determine a meridian with the solar: and mark the line thus determined at a point about 10 chs. N. of the Twp. cor. Thence I run

North on a random line bet. secs. 31 and 36, on the E. bdy. of the township setting temp. cors. at intervals of 40.00 and 80.00 chs., and at

480.19 Intersect a point 42 lks. E. of the cor. of Tps. 41 and 42 N., Rs. 38 and 39 E., which is an iron post, 3 ft. long, 3 ins. in diam., set 7 ins. in the ground to bed rock, in a mound of stone, with a brass cap, marked



1913

Witnessed by a stone mound, 2 ft. base,  $1\frac{1}{2}$  ft. high, S. of cor. *Surveyed by J. H. a. Haigh:-*

The falling answers to a correction of  $0^{\circ} 03'$ , or 7 lks. west per mile, counting from the SE. cor. of the township; therefore I resurvey as follows.

S.  $0^{\circ} 03'$  E. on a true line bet. secs. 1 and 6.

Desc. over rolling mountainous land, covered with scattering sage-brush.

Desc. 150 ft.

22.60 Foot of spur, bearing SE., creek, 5 lks. wide, course S.  $60^{\circ}$  E.