Retracement of the S. Bdy. of T. 22 N., R. 24 E. Chains 34 and 35, heretofore described. Thence I run West on retracement along the S. Bdy. of sec. 34.
Intersect a point 1 lk. S. of the closing corner of secs.
2 and 3 of T. 21 N., R. 24 E., which is a lava stone,
10x8x14 ins. above ground, firmly set, marked and witness-2.86 ed as described by the Surveyor General. I continue my retracement West along the same line. Intersect a point 16 lks. S. of the $\frac{1}{4}$ cor. of sec. 34, which is a linch iron post set 26 ins. in the ground, 40.05 marked $\frac{1}{4}$ S 34 on N., with mound of stone on the north. This $\frac{1}{8}$ mile bears N.89°46'W. and its true length is 40.05 chs. I continue my retracement West along the same line. Intersect a point 16 lks. S. of the closing cor. of secs. 41.02 3 and 34, which is a 3 inch iron post set 24 ins. deep, and marked: T22NR24E S34 S3 1911 and witnessed by a mound of stone to the west. The bearing of the line connecting the 4 cor. of sec. 34 and the above closing corner is west and the length of the line is 97 lks. April 28, 1915. Note: Prior to the subdivision of T. 22 N., R.24 E., a retracement of the P.L.I.R. boundary through T. 22 N., R. 24 E., was made, but inasmuch as the courses and lengths of the half miles and miles of this boundary were found to practically agree with the courses and distances as returned by Guy P. Harrington in the resurvey of this boundary I do not give the result of my retracement of this boundary in the field notes of the survey of this township and adopt the record courses and distances of his survey of this boundary for the west boundary of this fractional township. SUBDIVISIONS OF T. 22 N., R. 24 E. April 29, 1915: At 9 h 0 m a.m., l.m.t., I set off 39° 42'N. on the lat. arc; 14°17'N. on the decl. arc, and determine a meridian with the solar at the cor. of secs. 35 and 36 on the S. Bdy., heretofore described. The average bearing of the east bdy. of this township according to my retracement thereof is N.0°09'E.; therefore I run
N.0°08'W. bet. secs. 35 and 36. Over rolling land, descend.

Bottom of draw, 50 ft. below cor., course W.; gradually descend rolling N.W. slope.

Set an iron post 3 ft. long, 1 in. in dia., 26 ins. in the ground for 4 sec. cor., with brass cap mkd: 40.00 S354 S36 and raise a mound of stone 2 ft. base, $l^{\frac{1}{2}}$ ft. high, W. of cor. Bottom of canyon, 90 ft. below bottom of draw, 41.60 course NE.; gradually ascend. Top of ascent and east slope, 15 ft. above canyon; desc. Mouth of canyon, 15 ft. below top of E. slope, course NE.; ascend 100 ft. to the sec. cor. 56.60