SUBDIVISION OF T.23 N., R.26 E.

Chains?

29.50 Bottom of descent. Thence, over gently rolling land.

40.14 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for \(\frac{1}{4} \) sec. cor., with brass cap mkd.;

and dig pits, 18x18x12 ins. E. and W. of the post, 3 ft. dist., and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

42.80 Descend E. bank of dry wash 10 ft.; course, S.

45.60 Ascend W. bank of dry wash 10 ft.; course, S.

80.28 The cor. of secs. 3,4,9 and 10.
Land gently rolling.

Soil sand and gravel; 3rd. rate.

No timber; desert brush.

N0°06'E on a randomline bet. secs. 3 and 4.

40.00 Set a temp. \(\frac{1}{4}\) sec. cor.

80.65 Intersect N. bdy. of the tp. 67 lks. W. of the cor. of secs.

, ,33 and 34, heretofore described. At the point of intersection

I set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for closing corner to secs. 3 and 4, with brass cap mkd.;

and dig pits, 24x18x12 ins. crosswise on each line, E. and W. 3 ft., and S. of post 7 ft. dist., and raise a mound of earth, 4 ft. base, 2 ft. high, S. of cor.

From this closing corner, I run

S0°06'W on a true line bet. secs. 3 and 4.

Descend into draw and wash.

6.60 Enter dry wash, 4 chs. wide, course S20°E

10.60 Leave dry wash, 4 chs. wide, course, S20°E