

## SUBDIVISION OF T.23 N., R.26 E.

- Chains N89°38'W on a random line bet. secs. 6 and 7.
- 40.00 Set a temp.  $\frac{1}{4}$  sec. cor.
- 78.12 Intersect the W. bdy. of the tp. , 5 lks. N. of the cor. of secs. 6,7,1 and 12, heretofore described, thence, I run
- ✓ S89°40'E on a true line bet. secs. 6 and 7.
- Over rolling land.
- 26.10 Beginning of abrupt ascent.
- 38.12 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.;
- $$\begin{array}{r} S\ 6 \\ \frac{1}{4} \\ \hline S\ 7 \\ 1911 \end{array}$$
- and dig pits, 18x18x12 ins., E. and W. of the post, 3 ft. dist., and raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.
- 46.20 Top of abrupt ascent; thence, ascend less steeply along the top of an E. and W. spur ridge.
- 76.70 Top of main ridge, bears N.N.E and S.S.W.; descend steep.
- 78.12 The cor. of secs. 5,6,7 and 8.
- Land , part rolling; part mountainous.
- Soil, part clay and sand; part rocky; 3rd. rate.
- No timber; desert brush.
- Mountainous land, 54.00 chs.

- N0°04'E, on a random line bet. secs. 5 and 6.
- 40.00 Set a temp.  $\frac{1}{4}$  sec. cor.
- 81.00 Intersect the N. bdy. of the tp., 115 lks. W. of the cor. of secs. 31 and 32, hereinbefore described. At the point of intersection
- I set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for closing corner to secs. 5 and 6, with brass cap mkd.;

