


SURVEY OF THE NORTH BOUNDARY OF T.24 N., R.26 E.

Chains West on a true line bet. secs. 5 and 32.
 Descend gently over rolling land; drainage S.

6.70 Dry wash, 20 lks. wide, course S.S.E.

35.50 Top of N. slope of hill. The top of same 100 ft. high bears S. 5 chs.; Descend gently.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.;




and dig pits, 18x18x12 ins. E. and W. of the post, 3 ft. dist., and raise a mound of earth, 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.

59.70 Dry wash, 30 lks. wide, course, S.

69.00 Whence, top of hill 75 ft. high bears S. 6 chs.

78.90 Dry wash, 30 lks. wide, course, S.W.

80.00 Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the ground, for cor. of secs. 5,6,31 and 32, with brass cap mkd.;



and dig pits, 18x18x12 ins. in each sec., 5 $\frac{1}{2}$ ft. dist., and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.

Land rolling.

Soil sand and clay mixed with gravel; 3rd. rate.

No timber; desert brush.

West on a true line bet. secs. 6 and 31.

Descend gently over rolling land.

10.00 Main road, bears N.W. and S.E.

25.00 Top of low ridge, bears N. and S.

36.10 Dry wash 20 lks. wide, course, S.W.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.;