

## SUBDIVISION OF T.24 N., R.26 E.


Chains

- 29.00 Top of spur ridge, bears N. and S.; descend.  
 38.00 Bottom of gulch, course, S.E.; ascend steeply.  
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.;

$$\begin{array}{r} S \ 19 \\ \frac{1}{4} \\ \hline S \ 30 \\ 1911 \end{array}$$

and raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high,  
 N. of cor.

- 48.00 Top of mountain 400 ft. high; descend steep.  
 55.30 Bottom of draw, course, S.E.; ascend steep.  
 62.00 Top of S. slope of rocky top mountain 800 ft. high,  
 highest point bears N. 16 chs.; descend steep.  
 67.00 Bottom of draw, course E.S.E.  
 Ascend steep east slope of high N. and S. mountain range.  
 79.26 Intersect the W. bdy. of the tp., 13.48 chs. S. of the cor.  
 of secs. 19, 24, 25 and 30, which is an iron post, 1 ft.  
 above ground, 3 ins. diam., with a mound of stone, W.  
 of cor. I change the markings on this post to indi-  
 cate a corner common to the 2 secs. 24 and 25. At the  
 point of intersection  
 I set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in  
 the ground, for closing corner of secs. 19 and 30,  
 with brass cap mkd.



and raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high,  
 E. of cor.

From the closing cor. above described, I run  
 South on W. bdy. of sec. 30.

- 26.52 An iron post, 1 ft. above ground, 1 in. diam., with mound  
 of stone on the west for  $\frac{1}{4}$  sec. cor., marked to refer  
 to secs. 25 and 30, which I change to refer to sec.  
 25 only.