

-17-

SUBDIVISION OF T.24 N., R.26 E.

Chains
37.00

Top of hill 50 ft. high; descend.

40.00

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.;
$$\begin{array}{r} S\ 18 \\ \frac{1}{4} \\ \hline S\ 19 \\ 1911 \end{array}$$

and dig pits, 18x18x12 ins., E. and W. of the post, 3 ft. dist., and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

Thence, ascend gradually over rolling land.

41.00

Small dry wash, 4 lks. wide, course S.

60.20

Dry wash, 20 lks. wide, course, S.E.

79.34

Intersect the W. bdy. of the tp. 13.51 chs. S. of the cor. of secs. 13, 18, 19 and 24, which is an iron post, 1 ft. above ground, 3 ins. diam., with a mound of earth W. of cor. and pits in each sec. I change the markings on this post to indicate a corner common to the 2 secs. 13 and 24. At the point of intersection I set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for closing corner of secs. 18 and 19, with brass cap mkd.;

$$\begin{array}{ccccc} & & T\ 24\ N & & \\ & & | & & \\ R\ 25\ E & S\ 13 & | & S\ 18 & \\ & S\ 24\ CC & | & S\ 19 & R\ 26\ E \\ & & T\ 24\ N & & \\ & & 1911 & & \end{array}$$

and dig pits, 24x18x12 ins., crosswise on each line, N. and S. 3 ft., and E. of post 7 ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high, E. of cor.

From the closing above described, I run South on the west bdy. of sec. 19.

26.49

An iron post, 1 ft. above ground, 1 in. diam., with mound of stone on the W. for $\frac{1}{4}$ sec. cor., marked to refer to secs. 19 and 24, which I change to refer to sec. 24 only.