

SUBDIVISION OF T.22 N., R.27 E.

Chains

ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.;

S 24

$\frac{1}{4}$


S 25

1911

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

66.00 Top of ridge, bears N. and S.

80.52 Intersect E. bdy. Tp., 13.72 ch. , $S0^{\circ}06'W$ of cor. of secs. 19 and 30, which is an igneous rock, $18 \times 12 \times 5$ ins., firmly planted in the ground, surrounded by a mound of stone, mkd. with 4 notches on the N. and 2 notches on the S. At the point of intersection of E. line with E bdy., I set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the ground, for C.C. of secs. 24 and 25, with brass cap mkd.;



and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor., also raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high E. of cor. of secs. 19 and 30, to indicate cor. common to two secs. only.

Land, mountainous.

Soil, mostly rocky.

No timber; desert brush.

Mountainous land, 80.52 ch.


North, bet. secs. 23 and 24.

Ascend gradually.

19.80 Top of ridge, bears E. and W.; descend rapid 250 ft.

28.00 Bottom of descent. Thence over rolling land.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.



80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. secs. 13, 14, 23 and 24, with brass cap mkd.