

RESURVEY OF THE 5th.
STANDARD PARALLEL NORTH THROUGH RANGE 27 E.

Chains	<p>October 18, 1911; at 8h. 00m. a.m. l.m.t., I set off 40° 04' on the lat. arc; 9°19'30" S. on the decl. arc; and determine a meridian with the solar, at the Standard Tp. Corner of Tp. 26 N., Rs. 26 and 27 E., heretofore described; thence, I run S89°42'E on a blank line on the S bdy. of sec. 31. Over gently rolling land.</p> <p>9.40 Intersect Standard Closing Corner, heretofore described.</p> <p>17.57 Dry wash, 20 lks. wide, course N.E.</p> <p>25.77 Dry wash, 10 lks. wide, course, N.E.</p> <p>40.02 Intersect Standard $\frac{1}{4}$ sec. cor., which is a granite stone, 12x8x4 ins. above ground, with mound of stone on N., mkd. $\frac{1}{4}$ S C 31 on N. face, firmly planted.</p> <p>48.47 Dry wash 10 lks. wide, course, N.E.</p> <p>68.67 Dry wash, 20 lks. wide, course, N.E.</p> <p>76.47 Dry wash, 20 lks. wide, course, N.E.</p> <p>80.01 Intersect Standard sec. cor. of secs. 31 and 32, which is a granite stone 12x8x4 ins. above ground with mound of stone on the N., mkd. S C on the N. face and 5 grooves on the E. and 1 groove on the West faces; thence, I run S 89°42'E on the S. bdy. of sec. 32</p> <p>23.50 Dry wash, 15 lks. wide, course, N.E.</p> <p>40.00 The Standard $\frac{1}{4}$ sec. cor. bears N. 1 lk.; a granite stone, 16x16x8 ins. above ground, with mound of stone N. of same mkd. S C $\frac{1}{4}$ on the N. face. Bearing of last $\frac{1}{2}$ mile S89°43'E</p> <p>80.01 The standard sec. cor. of secs. 32 and 33, bears N. 2 lks.; a mound of earth and pits with stake in E. pit rotted off. I reestablish this corner at the same point as follows:-</p> <p>Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the ground, for Standard sec. cor. of secs. 32 and 33, with brass cap mkd.;</p> <div style="text-align: center;"> <p>T 25 N R 27 E</p> <p>S.C. S 32 S 33</p> <hr style="width: 50%; margin: 0 auto;"/> <p>1911;</p> </div> <p>dig pits, 24x18x12 ins., crosswise on each line, E. and</p>
--------	---