

Subdivision in T 27 N, R 27 E.

chains.

E. 50.00 chs. is adobe flat, contains too much alkali and other salts for cultivation. No vegetation.
W. 30.00 chs. is good, sandy soil, good growth short sage brush, little grass, no timber.

October 25, 1911.

Boundaries of T 27 N, R 27 E.

Latitudes, departures, and closing errors.

Line designated	True bearing.	Distance.	Latitudes		Departures	
			N	S	E	W
S. bdy., south of secs. 33, 34, 35 and 36.	E.	320.00			320.00	✓
E. bdy.	N.	483.03 ^{482.88}	483.03 ^{482.88}			
N. bdy., north of sec. 1.	W	80.00				80.00
W. of sec. 1	S 0° 3' E	83.25		83.25	.07	✓
N. of sec. 11	W	80.00				80.00
W. of sec. 11	S 0° 2' E	80.00		80.00	.05	✓
N. of sec. 10	W	79.90				79.90
W. of secs. 15 and 22	S 0° 2' E	160.00		160.00	.09	✓
N. of sec. 28	W	80.00				80.00
W. of secs. 28 and 33	S 0° 3' E	160.00		160.00	.14	✓
Convergence						.40
			483.03 ^{482.88}	483.25	320.35	320.10
				483.03 ^{482.88}	320.10	
Error in latitude				.22		Error in dep.
				.37	.25	

General Description.

This township is level; the eastern and southern part is good land. The soil being a good, rich sandy loam, derived from the disintegration of granite and volcanic rocks. It is valuable though for cultivation unless it can be irrigated; and there is no water available at present for this purpose. In the central part and extending north for a distance of 10 or 12 miles is a large alkali flat