

## SUBDIVISION OF T. 26 N., R. 29 E.

Chains.	bdy., exceeding the prescribed limits of 50 lks. I therefore run from the said cor. of secs. 5,6,7and8 N.0°04'W., on a true line bet. secs. 5 and 6. Ascend.
20.00	Top of ridge, bears N.W. and S.E.; descend gentle N.E. slope.
40.00	Set a volcanic rock, 24x 12 x 8 ins., 18 ins. in the ground, for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on the W. face; and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
	Descend steep N. E. slope.
45.00	Gulch, course, N.W.; ascend S.W. slide rock slope.
60.00	Point, whence, peak bears E. 4 chs.
67.50	Head of gulch, course W.; ascend steep, S. slide rock slope.
77.50	Top of rocky spur, bears E. and W.
80.00	Beginning of descent of steep N. slope.
83.70	Intersect N. bdy. of Tp. 81 lks. S89°33'E. of the cor. of secs. 5,6,31 and 32, heretofore described. At the point of intersection I
	Set a volcanic rock, 20x10x8 ins., 12 ins. in the ground, for closing cor. of secs. 5 and 6, marked CC on the S.; with 5 grooves on the E. and 1 groove on the W. face; and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, S. of cor.
	From the closing cor. of secs. 5 and 6, above described, I run
	N.89°33'W., on the N. bdy. of sec.6.
0.81	Old cor.
	Thence, I change my course to
	N.85°07'W, on the N. bdy. of sec. 6
40.00	Set a granite stone, 14x12x10 ins., 8 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 6, marked $\frac{1}{4}$ on S. face, and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, S. of cor.
	Land mountainous, very rough.
	Soil, rocky; 4th. rate.
	No timber; desert brush.
	Mountainous land, 80.00 chs.

July 7, 1912.