

## Subdivision of T. 26 N., R. 30 E.

Chains

the ground for  $\frac{1}{4}$  sec. cor., with a brass cap, marked
$$\begin{array}{c} \frac{1}{4} \text{ S } 34 \quad | \quad \text{S } 35 \\ 1912 \end{array}$$

Dig pits, 18 X 18 X 12 ins., N. and S. of cor. 3 ft. dist.,  
and raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
W. of cor.

82.88 Intersect Fifth Standard Parallel N. 56 lks. S.  $89^{\circ}44'$  W.  
re-established  
of the Standard cor. of secs. 34 and 35.

Set an iron post, 3 ft. long, 2 ins. in diam., 24 ins. in  
the ground for closing cor. of secs. 34 and 35, with  
a brass cap, marked

$$\begin{array}{c} \text{T 26 N R 30 E} \\ \text{S 34} \quad | \quad \text{S 35} \\ \hline \text{cc x} \\ 1912 \end{array}$$

Dig pits 18 X 24 X 12 ins., crosswise of the line, E.  
and W. of post 3 ft., and N. 7 ft. dist., and raise  
a mound of earth, 4 ft. base, 2 ft. high, N. of cor.  
Surface level.

Soil sandy, 3rd. rate.

Undergrowth scattering sagebrush.

Drains S.

~~I destroy the markings on the post set for Standard cor.  
of secs. 34 and 35 and mark same A P, for angle point  
on Fifth Standard Parallel N.~~

Beginning at the closing cor. of secs. 34 and 35 on the  
Fifth Standard Parallel N., I run  $S 89^{\circ}44' W.$ ,

Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in  
the ground for  $\frac{1}{4}$  sec. cor., with a brass cap, marked

$$\begin{array}{c} \frac{1}{4} \text{ S } 34 \\ 1912 \end{array}$$

Dig pits, 18 X 18 X 12 ins., E. and W. of post, 3 ft.  
dist. and raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft.  
high, N. of cor.