

Resurvey~~Retracement~~ of the E. bdy. of T. 27 N., R. 30 E.

Chains

Beginning at the cor. of secs. 6 and 7, just established,

I run

S.  $0^{\circ}29'$  E. on a true line along the W. side of sec. 7,

40.34 Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in the  
the ground for  $\frac{1}{4}$  sec. cor., with a brass cap, marked

$$\begin{array}{c} | \\ \frac{1}{4} \text{ S } 7 \end{array}$$

1912

Raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high, E. of  
cor.

80.68 Cor. of secs. 7 and 18.

Land level.

Soil sandy, 3rd. rate.

Undergrowth scattering sagebrush.

Drains SE.

Beginning at the  $\frac{1}{4}$  sec. cor. on the W. side of sec. 6,

I run

North according to data furnished by the Surveyor Gen-  
eral, and at

6.70 After diligent search, find no trace of the old cor. of  
T. 27 N., R. 31 E., I set temp. cor. and run  
East, and at

6.70 Intersect a point, 3 lks. S. of the old <sup>S.W.</sup> cor. of T. 28 N.

R. 31 E., which is well defined trace of pits and  
mound. I destroy all trace of the old cor. and re-  
build at same point, as follows

Set an iron post, 3 ft. long, 3 ins. in diam., 24 ins.  
in the ground for a new cor. of T. 28 N., R. 31 E.,  
with a brass cap, marked

T 28 N

R 31 E

$$\begin{array}{c} | \\ \text{S } 31 \end{array}$$

1912

Raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high, NE. of  
cor., thence I run