## SUBDIVISION OF T. 32 N., R. 31 E.

		DODDLYLDION OF 1. OD N., II. OL II.
	Chains	
	80.14	The cor. of secs. 13, 14, 23 and 24.
		Land mountainous.
		Soil mostly rocky; 4th. rate.
		No timber; desert brush,
		Mountainous land 80.00 chs.
	-	
	*	East on a true line, bet. secs. 13 and 24. Descend.
	5.00	Dry wash, 5 lks. wide course S.E.
	9,80	Main dry wash, 6 lks. wide, course S.
	40.00	Set an iron post, 3 ft. long, 1 in. dia., 24 ins. in the
	273 44	ground, for \$\frac{1}{4}\$ sec. cor., with brass cap mkd.;
	7	½ S 13
		S 24 1912;
		and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,
		N. of cor.
	42.00	Top of ridge, bears N.W. and S.E.
	48.00	Top of hill, bears N. 2 chs.
	57.00	Head of draw, course N.E.
	60.∞	Top of ridge, bears N. and S. Top of mountain bears S.
-		4 chs. Descend. steep.
	75.00	Bottom of steepndescent; thence, descend less steep.
	99.64	Dry wash, 3 lks. wide, course S.E.
	106.24	Same dry wash, 3 lks. wide, course N.E.
	111.64	Same dry wash, 3 lks. wide, course S.E.
	116.64	Intersect the E. bdy. of the Tp. 1.90 chs. N. 0°51'W. of
		the cor. of secs. 18 and 19, heretofore described.
er.		At the point of intersection, I
		Set an iron post, 3 ft. long, 2 ins. dia., 24 ins. in the
		ground, for closing cor. of secs. 13 and 24, with
		brass cap mkd.; T 32 N
	*	S 13   S 18
		R 31 E - CC R 32 E
		S 24 \\S 19
		1912;
		and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,

W. of cor.