

Resurvey of Subdivision of fractl. T. 27 N., R. 32 E.

Chains	Oct. 12th., 1912.						
	I begin at the cor. of secs. 3, 4, 33 and 34 on the S. bdy., and at 8h., 30m. a. m. l. m. t. set off $7^{\circ}24'$ S. on the decl. arc and $40^{\circ}9'$ N. on the lat. arc and determine a meridian with the solar, thence I retrace						
	N. $0^{\circ}3'$ W. on a random line bet. secs. 33 and 34.						
40.00	After diligent search find no trace of the original sec. cor. Set temp. $\frac{1}{4}$ sec. cor. and continue same line N. setting temp. sec. and $\frac{1}{4}$ sec. cors. and at						
240.06	Intersect a point 35 lks. W. of the original cor. of secs. 15, 16, 21 and 22. which is a granite stone 15 X 10 X 8 ins. in diam., marked $\frac{1}{4}$ on W. face and set in a trace of a stone mound. I destroy all trace of the old cor. and rebuild at same point as follows:						
	Set an iron post 3 ft. long, 2 ins. in diam. 24 ins. in the ground for cor. of secs. 15, 16, 21 and 22; with a brass cap marked:						
	<table border="1"> <tr> <td>T 27 N</td> <td>R 32 E</td> </tr> <tr> <td>S 16</td> <td>S 15</td> </tr> <tr> <td>S 21</td> <td>S 22</td> </tr> </table>	T 27 N	R 32 E	S 16	S 15	S 21	S 22
T 27 N	R 32 E						
S 16	S 15						
S 21	S 22						
	1912						
	Raise a mound of stone 2ft. base, $1\frac{1}{2}$ ft. high W. of cor. Not having found any of the original cors. on the above described line I re-establish same at proportionate distances on a right line between the cor. of secs. 15, 16, 21 and 22, just rebuilt and the cor. of secs. 3, 4, 33 and 34.						
	The falling answers to a correction of 12 lks. E. per mile beginning at the S. or a true course of N. $0^{\circ}2'$ E., therefore I run						
	S. $0^{\circ}2'$ W. on a true line bet. secs. 21 and 22.						
0.30	Asc. over rough mountainous land.						
0030	Wagon road, bears E. and W. asc. abruptly.						
18.50	Top of spur, bears NW. desc.						
40.01	Set an iron post 3 ft. long, 1 in. in diam. 14 ins. in						