

Subdivisions of T. 30 N., R. 32 E.

Chains. ground for $\frac{1}{4}$ cor. of secs. 6
and 7, with brass cap mtd.;

$$\begin{array}{r} 56 \\ \frac{1}{4} \checkmark \\ \hline 57 \\ 1912 \end{array}$$

41.00 and raise a mound of stone,
2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
Wash, 10 lbs. wide course E. 20° W.
ascend

62.00 High ridge bearing N. and S. desc.
76.50 The cor. of secs. 5, 6, 7 and 8.
Land, mountainous
Soil, rocky. 3^d rate
Undergrowth, sage brush and
desert brush.
No timber
Mountainous land, 80.00 chains.

N 50° W. set a true line
bet. secs. 5 and 6.
Over mountainous and heavy rolling
land, ascending

5.00 Top of ridge, Pass E. and W.; descend

11.80 Draw, course N 45° W.; descend.

40.00 Set an iron post 3 ft. long,
1 in. diam., 24 ins. in the
ground for $\frac{1}{4}$ cor. of secs. 5 and
6 with brass cap mtd.;

$$\begin{array}{r} 56 \frac{1}{4} \checkmark \\ | \\ 55 \checkmark \\ \hline 1912 \end{array}$$

40.10 and raise a mound of stone
2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor
Top of ridge, bearing N 30° W. and
S 20° E.; descend

79.65 Intersect sixth standard parallel N
90 lbs. N. 89° 40' W. of the
standard cor. of secs. 31 and
32, T. 31 N., R. 32 E. which is