

Retracement of the E. boundary of T. 25 N., R. 33 E.

Chains

and marked and witnessed as described by the Surveyor General.

Beginning at the $\frac{1}{4}$ cor. bet. secs. 31 and 36 I run South on a true line bet. secs. 31 and 36 and at 40.00 After diligent search find no trace of the old cor. of Tps. 24 and 25 N., Rs. 33 and 34 E.

Set temp. cor.

Beginning at the cor. of Tps. 24 and 25 N., Rs. 33 and 34 E., previously described in this book, I run East on a random line bet. secs. 6 and 31 and at

45.66 Intersect a point 5.56 chs. N. of the old $\frac{1}{4}$ cor. bet. secs. 6 and 31, which is a trap rock, 4 X 12 X 8 ins. above ground, marked and witnessed as described by the Surveyor General.

Beginning at the above described $\frac{1}{4}$ sec. cor. I run West on a true line and at

37.96 Intersect N. and S. line at a point 25 lks. N. of the temp. cor. At the point of intersection Set an iron post 3 ft. long, 3 ins. in diam., 24 ins. in the ground for cor. of Tps. 25 N., Rs. 33 and 34 E., with a brass cap, marked

T 25 N

R 33 E	R 34 E
S 36	S 31

1912

Raise a mound of stone, 2 ft. base, $\frac{1}{2}$ ft. high, N. of cor.

I continue same line west and at

45.66 Intersect E bdy. of T. 24 N., R. 33 E. at a point 5.56 chs. S. of the NE. township cor. At point of intersection

Set an iron post 3 ft. long, 3 ins. in diam., 24 ins. in the ground for closing cor. of T. 24 N., R. 34 E. with a brass cap, marked