Retracement of the Fifth Standard Parallel N., R. 33 E Nov. 22, 1912. Chains Beginning at the Standard cor. of Tps. 26 N., Rs. 33 and 34 E., at 9h. 30 m., a. m., 1. m. t., I set off 20° 8' S. on the decl. arc and 40° 4' N. on the lat. arc and determine a meridian with the solar: thence I run West along the S. side of sec. 36. Over level land. Wagon road, bears N. 10° W., and S. 10° E. 6.20 Intersect a point 8 lks. N. of the old $\frac{1}{4}$ sec. cor., 40.13 which is a lava stone, 6 X 6 X 5 ins. above ground, marked and witnessed as described by the Surveyor General. Course of this half mile, S. 89° 53' W., I continue same line and chaining west and at Intersect a point 68 lks. N. of the standard cor. of 80.61 secs. 35 and 36, which is a redwood post, 2 X 3 ins. 2 ft. above ground, marked and witnessed as described by the Surveyor General. Course of last half mile, S. 89° 9' W. West along the S. side of sec. 35. Over level land. Intersect \(\frac{1}{4} \) sec. cor. which is redwood post 2 X 2 ins. 40.15 2 ft. above ground, marked and witnessed as described by the Surveyor General. Course of this half mile, west., I continue same line and chaining west and at Intersect a point 2 1ks. S. of the standard cor. of secs. 80.35 34 and 35, which is lava stone, 6 X 8 X 10 ins. above ground, marked and witnessed as described by the Surveyor General. Course of last half mile, N. 89° 58' W.

West along the S. side of sec. 34. Over level land.