

## Resurvey of the S. Bdy. of T. 32 N., R. 34 E.

Chains

46.75 Dry wash, 30 lks. wide, course N. 60° E.

101.56 Cor. of T. 32 N., Rs. 34 and 35 E.

Land level and rolling.

Soil sandy loam and stony, 3rd. and 4th. rate.

Undergrowth scattering sage-brush.

Drains NE.

June 19, 1913.

-----  
Retracement of the subdivisions of T. 32 N., R. 34 E.

July 5, 1913.

Beginning at the Standard cor. of secs. 33 and 34, at 8h.

a, m., 1. m. t., I set off 22° 50' N. on the decl. arc,

and 40° 35' N. on the lat. arc, and determine a meridian

with the solar

Thence I retrace

North bet. secs. 33 and 34.

40.00 After diligent search fail to find any trace of the  $\frac{1}{4}$   
sec. cor.83.00 Intersect a point 2.11 chs. W. of the old cor. of secs.  
27, 28, 33 and 34, which is a granite rock, 18 X 9 X  
7 ins., correctly marked and set in a mound of stone.

I destroy all trace of the old cor. and at same point

Set an iron post, 3 ft. long, 2 ins. in diam., on  
surface rock, in a mound of stone, for a new sec. cor.  
with a brass cap, marked

T 32 N R 34 E

S 28 | S 27 ✓

S 33 | S 34

1913

and raise a mound of stone, 2 ft. base, 1½ ft. high, W.

of cor. The true length of this mile is 83.03 chs.

and the course is N. 1° 27' E.

-----  
East on a random line bet. secs. 27 and 34.40.29 Intersect a point 80 lks. S. of the  $\frac{1}{4}$  sec. cor., which is  
a slate rock 14 X 16 X 24 ins. above ground, marked