

Subdivision of T 44 N, R 38 E

Chains.

$\frac{1}{4}$ sec. cor. W. of sec. 6

On the W. bdy. of sec. 6, at a point 40.00 chs, N 0.50 E from the closing corner of secs. 6 and 7, set an iron post 3 ft. long, 1 in. diam. 24 ins. in the ground for $\frac{1}{4}$ sec. cor. W. of sec. 6 with brass cap mkt.

36 $\frac{1}{4}$ ✓
1912

dig pits 18 x 18 x 12 ins. N. and S. of post 3 ft. dist. and raise a mound of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high E. of cor.

Extra $\frac{1}{4}$ sec. cor. on the N. bdy. of T 44 N R 38 E

On the N. bdy. of $\frac{1}{4}$ sec. 1, at a point midway between the closing corner of T 44 N, R 38 and 39 E, and the closing corner of secs. 1 and 2; set an iron post 3 ft. long, 1 in. diam. 24 ins. in the ground for $\frac{1}{4}$ sec. cor. N. of sec. 1, with brass cap mkt.

51 $\frac{1}{4}$ ✓
1912

dig pits 18 x 18 x 12 ins. E. and W. of post 3 ft. dist. and raise a mound of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high S. of cor.

$\frac{1}{4}$ sec. cor. N. of sec. 2

On the N. bdy. of sec. 2; at a point midway between the closing corner of secs. 1 and 2, and the closing corner of secs. 2 and 3; set an iron post 3 ft. long, 1 in. diam. 24 ins. in the ground for $\frac{1}{4}$ sec. cor. N. of sec. 2 with brass cap mkt.