


Retracement of the E. bdy. of T. 40 N., R. 38 E.

Chains Set an iron post, 3 ft. long, 1 in. in diam., 24 ins. in the ground for  $\frac{1}{4}$  sec. cor. for sec. 19, with a brass cap, marked




and raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high, E. of cor.

Course of this half mile is N. 0° 3' E.

I continue same line north.

80.52 Intersect a point 7 lks. W. of the old cor. of secs. 13, 18, 19 and 24, which is a granite rock, 14 X 16 X 4 ins. above ground, marked and witnessed as described by the surveyor general.

Set an iron post, 3 ft. long, 3 ins. in diam., 24 ins. in the ground, with a brass cap, marked



and raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high, E. of cor.

Course of last half mile is N. 0° 3' E.

Beginning at the cor. of secs. 18 and 19, I run North on a random line bet. secs. 13 and 18.

40.00 After diligent search I am unable to find any trace of the old  $\frac{1}{4}$  sec. cor. I set temp.  $\frac{1}{4}$  sec. cor., and continue north. I am unable to find any more of the old cors. along this line, therefore I set temp. cors. at 40.00 and 80.00 chs., and at

239.07 Intersect the N. bdy. of the township 20 lks. W. of the old closing cor. of Tps. 40 N., Rs. 38 and 39 E., which is a slate rock, 18 X 12 X 10 ins, marked and witnessed as described by the surveyor general. I set an iron post at same point, 3 ft. long, 3 ins. in diam., on