

24.

Resurvey of the N. Bdy. of T.42 N., R. 61 E.

Chs.	
39.87	<p>The old $\frac{1}{4}$ sec. cor. of secs. 5 and 32, heretofore described. I destroy all traces of the old cor. and reestablish a $\frac{1}{4}$ sec. cor. for sec. 32 at the same point, as follows:</p> <p>Set an iron post 3 ft. long, 1 in. in dia., 26 ins. in the ground with brass cap mkd:</p> <p style="text-align: center;">S 32 $\frac{1}{4}$ <u>1914</u></p>
	<p>and raise a mound of stone 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.</p>
	<p>I now change my bearing and run</p>
48.20	<p>N.89°01'W. on the S. Bdy. of sec. 32, the course and distance having been determined by previous retracement.</p>
68.00	<p>Head of draw, 10 ft. below spur, course NE.; asc.</p>
	<p>Spur of mountain 290 ft. above bottom of draw, bears S.</p>
80.17	<p>Descend 185 ft. to section corner.</p>
	<p>The old cor. of secs. 5, 6, 31 and 32, heretofore described. The old corner being poorly marked, I reestablish a cor. for secs. 31 and 32 at the same point, as follows:</p>
	<p>Set an iron post 3 ft. long, 3 ins. in dia., 24 ins. in the ground with brass cap mkd:</p>
	<p style="text-align: center;">T43N. R61E S31 S32 <u>1914</u></p>
	<p>and raise a mound of stone 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.</p>
	<p>Land mountainous.</p>
	<p>Soil, along draws and in ravines, rich black loam on yellow clay subsoil, rocky; rocky clay loam on ridges.</p>
	<p>Undergrowth, sage and service brush, good growth bunch grass, willows along bottom of draws.</p>
	<p>Timber, scattered growth of aspens.</p>
14.70	<p>From the cor. of secs. 31 and 32, I run</p>
	<p>S.89°57'W. on a true line on the S. Bdy. of sec. 31.</p>
	<p>Over mountainous land, desc.</p>
30.00	<p>Bottom of draw, 280 ft. below section corner, course S.; ascend.</p>
40.26	<p>Top of ridge, 220 ft. below draw, bears N. and S.; desc.</p>
	<p>The old $\frac{1}{4}$ sec. cor. of secs. 6 and 31. I destroy all traces of the old cor. and reestablish a cor. for sec. 31 at the same point, as follows:</p>
	<p>Set an iron post 3 ft. long, 1 in. in dia., 26 ins. in the ground with brass cap mkd:</p>
	<p style="text-align: center;">S 31 $\frac{1}{4}$ <u>1914</u></p>
	<p>and raise a mound of stone 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.</p>
	<p>I now change my bearing and run N.89°48'W. on a true line, the course and distance having been determined by previous retracement.</p>
62.50	<p>Cross head of draw, 430 ft. below top of ridge, course SW. Ascend.</p>
65.50	<p>Top of spur, 10 ft. above head of draw, bears SW.; desc.</p>
79.50	<p>Bottom of draw, 290 ft. below top of spur, course S.60°W. Ascend 5 ft. to the township corner.</p>
80.47	<p>The cor. of Tps. 42 and 43 N., Rs. 60 and 61 E., heretofore described.</p>
	<p>Land mountainous.</p>
	<p>Soil, rich sandy loam with coarse gravel, many outcrops of quartzite boulders. Large quartzite outcrop about 1 chain NE. of the $\frac{1}{4}$ sec. cor.</p>
	<p>Undergrowth. Some sagebrush and service brush, fine growth of bunch grass.</p>
	<p>No timber.</p>
	<p>Mountainous land 80.47 chs.</p>

Oct. 30, 1914.