

Resurvey of part of the W. bdy. of T. 5 N., R. 68 E.

Chains

From the cor. of secs. 13, 18, 19 and 24, heretofore described, I resurvey

S.0°08'W. on the W. bdy. of sec. 19.

40.30 Set a volcanic rock, 17x12x6 ins. 12 ins. in the ground, for $\frac{1}{4}$ sec. cor., of secs. 19 and 24, marked $\frac{1}{4}$ on W. face; and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

80.60 Set a volcanic rock, 16x12x8 ins., 11 ins. in the ground, for cor. of secs. 19, 24, 25 and 30, marked with 2 notches on the S. and 4 notches on the N. edge; and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

From the cor. of secs. 19, 24, 25 and 30 above described, I resurvey

S.0°08'W., on the W. bdy. of sec. 30.

40.30 Intersect the $\frac{1}{4}$ sec. cor. of secs. 25 and 30, heretofore described.

April 20, 1913.

Survey of the 1st. standard parallel N., through Range 68 E.

April 14, 1913: At 8h.00m. a.m., l.m.t., I set off 39° 19' on the lat. arc; 9°20 $\frac{1}{2}$ 'N. on the decl. arc; and determine a meridian with the solar at the closing cor. of T. 5 N., Rs. 67 and 68 E., heretofore described; thence I retrace East, on the N. bdy. of sec. 6, and at 39.70 chs. I intersect the standard cor. of T. 5 N., Rs. 67 and 68 E. which is a granite rock, 9x9x7 ins. above ground, firmly set and marked and witnessed as described by the surveyor general. From said standard cor. I run East, on the S. bdy. of sec. 31.

Ascend, through thick cedars and piñon pine.

12.00 Top of low ridge, bears N. and S.

13.00 Beginning of sharp descent.

22.30 Road, bears N. and S., and bottom of draw, course N.