

Chains

50.20 Ridge, bears NE. and SW. Descend NW. slope.

79.50 Ravine, course NE.

80.00 Set an iron post 3 ft. long, 3 ins. dia., 24 ins. in the ground for cor. of Tps. 33 and 34 N., Rgs. 45 and 46 E., with brass cap mkd:

T 34 N	
R45E	R46E
S36	S31
S 1 1/2	S6
T 33 N	
1914	

and raise a mound of stone 2 ft. base, 1 1/2 ft. high S. of cor. Land; rolling ridges and ravines, sloping to the NE. Soil; coarse texture, fair quality loam; from a few inches to a foot in depth; washed on the slopes. Underlaid with a firm, rocky subsoil, 3rd rate.

Good growth sagebrush, considerable grass, no timber.
May 5, 1914.

SUBDIVISION OF T. 33 N., R. 46 E.

May 1, 1914.

Before beginning the regular subdivision of this Tp.

I resurvey the old subdivisional lines and survey out partially subdivided sections as follows:

At the W.C. of secs. 2, 3, 34 and 35, on the S. Bdy. of the Tp., which is an iron post 3 ft. long, 3 ins. in dia., 24 ins. in the ground with brass cap mkd:

T33N R46E	
WC	
S34	S35
S3	S2
T 32 N	
1913	

and with pits 18x18x12 ins. in each sec. 5 1/2 ft. dist., and a mound of earth 4 ft. base, 2 ft. high, W. of cor., at 9 h A.M., l.m.t., I set off 40°40' N. on the lat. arc, 14°57' N. on the decl. arc, and determine a meridian with the solar.

Thence I run

N. Bet. secs. 34 and 35, retracing the sec. line measuring from the corner.