

Subdivisions of T. 30 N., R. 43 E.

5.

Chains

as follows:-

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground for cor. of secs. 19 and 20, with brass cap mkd.,

T30NR43E
S19 | S20
 1914

Dig pits, 24x18x12ins. in each sec. 6 ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high N. of cor. Land; level desert.

Soil; deep sandy light clay loam, alkaline.

Undergrowth; desert brush and greasewood.

No timber.

From the cor. of secs. 19 and 20 I run N. 88° 34' W. on a true line bet. secs. 19 and 30, the course and distance of this mile by previous retracement. Over level desert land.

41.54 The proportional distance for the reestablished $\frac{1}{4}$ sec. cor. Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., with brass cap mkd.,

S19
 $\frac{1}{4}$
S30
 1914

Dig pits, 18x18x12ins. E. and W. of post, 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of corner.

80.15 The cor. of secs. 19 and 30, on the West bdy. heretofore described.

Land; level.

Soil; deep sandy light clay loam, alkaline.

Undergrowth, desert brush and greasewood.

No timber.

June 30, 1914.

SUBDIVISIONS OF T. 30 N., R. 43 EAST

Surveyed by A.T. Harris:-

June 29, 1914: For solar on this date see line bet. secs. 19 and 30.

The average bearing of the east boundaries of secs. 28 and 33, is N. 0° 19' E., therefore from the cor. of secs. 4, 5, 32 and 33, on the south bdy. I run

N. 0° 18' E. bet. secs. 32 and 33.

Over nearly level land.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., with brass cap mkd.,

S32 $\frac{1}{4}$ | S33
 1914

Dig pits, 18x18x12ins., N. and S. of post, 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high W. of corner.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground for cor of secs. 28, 29, 32 and 33, with brass cap mkd.,