

Resurvey of E. bdy. of T.31 N., R.43 E.

Chains

- 21.30 Little Cottonwood creek, 8 lks. wide, 2 ins. deep, course S.25°E.; ascend.
- 22.00 Wagon road, bears S.25°E., and N.25°W.
- 39.93 Intersect the $\frac{1}{4}$ cor. of secs. 1 and 6 heretofore described. I raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

June 16, 1914.

For solar observation on July 15 see this book on retracement of N. half of line bet. secs. 1 and 6.

Thence I run

N.0°28'E., on a true line bet. secs. 1 and 6.; ascend.


45.00 Spur, slopes S.E.; descend.

61.00 Draw, course S.E.; ascend.

81.74 Intersect the S. bdy. of sec.31, T.32 N., R.43 E., 10.55 chs. S.89°35'E. of the S.E. cor. of T.32 N., R.43 E., which is an iron post, heretofore described.

I build a cor. at this point as follows:

Set an iron post, 3 ft. long, 3 ins. in dia., 24 ins. in the ground for cor. of T.31N., Rs. 43 and 44 E. with a brass cap, mkd.



and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high,

S. of cor.

NOTE: From this township corner the old stone cor. heretofore verified as the N.W.cor. of T.31 N.,R.44 E. of the Maxson survey bears N.0°28'E., 6.95 chs. I obliterate all markings on this corner and leave it in its original position as an alinement cor., in accordance with instructions from the U.S. Surveyor General and from the Commissioner of the General Land Office, referred to on page 1 of Book "A" to the S.E.

July 15, 1914.

Land, mountainous.

Soil, a shallow rocky clay loam.

Vegetation, sagebrush and greasewood. No timber.

Drainage to the SE.

July 15, 1914.