

## SIXTH STANDARD PARALLEL NORTH

## Retracement of part of S. bdy. of T.31 N., R.43 E

Chains

Note:- The resurvey of this mile by A.T.Harris was changed by H.W.Reppert Mar. 25, 1915 to the original retracement as shown below.  
Retraced by A.T.Harris:-

June 4: At 9h.00m,a.m.,l.m.t., I set off  $40^{\circ}30'N.$  on the lat. arc;  $22^{\circ}24'N.$  on the decl. arc; and determine a meridian with the solar at the standard cor. of secs. 35 and 36, which is a redwood post 4 x 4 ins. x 2 ft. above the ground marked and witnessed as described by the surveyor general.

Thence I run

West, along the S. bdy. of sec. 35, and at 40.11 chs., fall 51 lks. S. of standard  $\frac{1}{4}$  cor. of sec. 35, which is granite rock 6 x 12 x 16 ins. above the ground marked and witnessed as described by the surveyor general.

This line bears  $N.89^{\circ}16'W.$

Thence I run

West, on the same line along the S. bdy. of sec. 35., at 40.00 chs. from the  $\frac{1}{4}$  cor. , fall 1.25 chs. S. of standard cor. of secs. 34 and 35, which is a redwood post 3 x 3 ins. x 3 ft. above the ground loosely set and markings nearly obliterated. This half mile bears  $N.88^{\circ}57'W.$

June 4, 1914.

-----  
From the standard cor. of secs. 34 and 35.

I run West along the S. bdy. of sec. 34, at 40.81 chs. I fall 11 lks. North of the standard  $\frac{1}{4}$  cor. of sec. 34, which is a redwood post loosely set.

I continue West on same line , and at 80.90 chs., fall 20 lks. N. of standard cor. of secs. 33 and 34, which is a granite rock 4 x 12 x 12 ins. above the ground marked and witnessed as described by the surveyor general. This mile bears  $S.89^{\circ}51'W.$

June 4, 1914.

-----  
Retraced by H.W.Reppert:-

June 4: At 8h.00m.a.m.,l.m.t., I set off  $40^{\circ}30'N.$  on the lat. arc;  $22^{\circ}24'N.$  on the decl. arc; and determine a meridian with the solar at the standard cor. of secs.