## Chains

and raise a mound of stone, 2 ft. base,  $l\frac{1}{2}$  ft. high, W. of cor. This cor. is 33 ft. above draw, on spur. Land, rough and mountainous.

Soil, a light sandy clay loam about 3 ins. deep with gravelly subsoil. Vegetation is a heavy growth of sagebrush and scattering bunch grass. No timber. Drainage to the east.

May 30.1914.

Thence I run

North, on a true line along the E. bdy. of sec. 1.; descend.

18.80 Draw, 82 ft. below sec. cor., course S.60°E.; ascend.

29.00 Spur, 154 ft. above draw, slopes S.E.; descend.

38.20 Draw, 155 ft. below spur, course, S.E.; ascend.

40.00 Set an iron post, 3 ft. long, 1 in. in dia., 24 ins. in the ground for \( \frac{1}{4} \) cor. of sec. 1 with a brass cap marked

1914

and raise a mound of stone, 2 ft. base, 1 ft.high, W. of cor.

48.30 Spur, 191 ft. above draw, slpees S.E.; descend.

58.10 Draw, 123 ft. below spur, course S.E.; ascend.

64.00 Ridge, 79 ft. above draw, bears from the W. to N.E.; descend.

I fall 2.55 chs., S.89.42'W., of cor. of Ts.32 and 33 N.

Rs.43 and 44 E., which is a granite rock hertofore described. I destroy the markings on the S. side of rock and build a mound, 2 ft. base, 1½ ft. high, N. of cor., making it a cor. for T.33 N.Rs.43 and 44 E.

At 2.55 chs. S.89.42'W., from above cor.

Set an iron post, 3 ft. long, 3 ins. in dia.,24 ins. in closing the ground for cor. of T.32 N.Rs.43 and 44 E. with a brass cap marked