## Chains

40.00

Ascend S. E. slope of mountain spur, 260 ft. to Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground for \frac{1}{4} sec. cor., with brass cap mkd.,

and raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high N. of corner.

Mountain spur, slopes S. E. 340 ft. above \( \frac{1}{4} \) sec. cor. Ravine, course S. E., 65 ft. below spur. 58.70 70.00


Spur, slopes S. E. 76.30 82.45 Ravine, course S. E., 165 ft. below spur.

96.20 Spur, slopes S.E.

Draw, course S. 102.00

Intersect the W. bdy. of the tp. at N.0° 23'E. 8.23 chs. from the cor. of secs. 12 and 13. Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground for closing corner of secs. 7 and 18, with 117.41

brass cap mkd.,



dig pits 24x18x12 ins., crosswise on each line N. and S. 3 ft. and E. of cor. 7 ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high E. of cor. Land; rolling mountains, with a general slope to the E. and S. E.

Soil; poor quality, gravelly and rocky, dry and shallow, 4th rate.

Fair growth sagebrush, not much grass, no timber. A number of mining claims have been located and prospect holes dug.

S. 0° 3'E. bet. secs. 17 and 18. Over low rolling mountains.

2.10

11.80

Wash, course S. E.
Wash, course S. E.
Road, bears S. E. and N. W. 17.10

Wash, course S. E. 21.20

Road, bears E. and W. 24.80

Ravine, course E. 60 ft. below road. 27.20 .

Ridge bears E. and W. 120 ft. above ravine. Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in 38.60 40.00 the ground for 4 sec. cor., with brass cap mkd.,

and raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high W. of corner.

Wash, course S. E. 80 ft. below ridge. 49.80

50.30 Road, bears S. E. and N. W.

55.45 Wash, course S. E.

63.50

70.10

Spur of hill, slopes S. E. 110 ft. above wash. Wash, course S. E. 65 ft. below spur. Spur of hill, slopes S.E. 80 ft. above wash. Descend S.E. slope 20 ft. to 78.50

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in 80.00