

Chains

22.30

Mountain spur, slopes S. 235 ft. above sec. cor.
Descend S. W. slope.

40.00

Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in
the ground for $\frac{1}{4}$ sec. cor., with brass cap mkd.,

S 19 $\frac{1}{4}$
S 30.
1914

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high N.
of corner.

105 ft. below spur.

43.40

Ravine, course S. 85 ft. below $\frac{1}{4}$ sec. cor.

43.70

Road, bears N. and S. Ascend E. slope.

52.45

Ridge bears N. and S. 180 ft. above ravine.

57.80

Head of ravine, course S. 40 ft. below ridge.

63.12

Ridge bears N. and S. 60 ft. above ravine.

67.85

Road, bears N. and S.

68.30

Head of ravine, course S. 40 ft. below ridge. Ascend E.
slope.

114.15


Rocky spur, slopes N.E. 770 ft. above ravine.

Descend N. E. slope.

116.85

Intersect W. bdy. of the tp. at N. $0^{\circ} 8' W.$ 9.24 chs. from
the cor. of secs. 24 and 25.

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in
the ground for closing cor. of secs. 19 and 30, with
brass cap mkd.,



and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high E.
of corner.

Land; rolling mountains with a general easterly slope.
Soil; poor quality, coarse texture, contains consider-
able gravel and loose stones. Washed on the slopes,
quite dry, 3rd. rate.

Fair growth short sagebrush, not much grass, no timber.
A number of mining claims have been located and prospect
holes dug. Considerable indications of mineral by ledges
and otherwise.

Oct. 3, 1914.

Oct. 5, 1914.

At the cor. of secs. 19, 20, 29 and 30; at 8h.a.m., l.m.t.
I set off $40^{\circ} 21' N.$ on the lat. arc, $4^{\circ} 33' S.$ on the
decl. arc and determine a meridian with the solar.

Thence I run

S. $0^{\circ} 3' E.$ bet. secs. 29 and 30.

Over rolling mountains.

3.10

Wash, course E. 45 ft. below sec. cor.

8.80

Ravine, course N. E. Ascend E. slope.

16.90

Ridge bears E. and W. 125 ft. above ravine. Descend W.
slope.

35.40

Wash, course S. E. 200 ft. below ridge.

40.00

40 ft. below wash.

Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in
the ground for $\frac{1}{4}$ sec. cor., with brass cap mkd.,

S 30 $\frac{1}{4}$ S 29
1914