

Chains. of cor.

42.00 Top of spur,5 ft. above cor.,slopes S.

52.90 Bottom of draw,70 ft. below spur,course S.20°W.

71.30 Top of ridge,80 ft. above draw,bears N. and S.

76.30 Bottom of ravine,70 ft. below ridge,course S.

Ascend over rocks,60 ft. to cor.

80.04 The cor. of secs. 3,4,9,and 10.

Land,rolling.

Soil,medium,2nd. and 3rd. rate;gravel and clay mixed;
stony;good depth.Extreme W. end is very rocky.

Scattering timber,heavy sage brush,and lots of grass.

Good grazing land.

Timber,cedar and piñon pine.

Rolling land,80.04 chs.

N.0°02'W. on a true line,bet. secs. 3 and 4.

Over rolling ascent,along draw,through scattering timber.

8.50 Top of spur,20 ft. above cor.,slopes E.

31.70 Bend in ravine,30 ft. below spur,course S.E.

40.00 Set an iron post(50 ft. above bend)3 ft. long,1 in. in
diam.,24 ins. in the ground,for ¼ sec. cor.,with brass
cap mkd.

S4 1/4 S3
1914

and raise a mound of stone,2 ft. base,1½ ft. high,W.
of cor.

42.30 Top of spur,20 ft. above cor.,slopes E.

45.70 Bottom of draw,30 ft. below spur,course S.30°E.

60.00 Top of spur,140 ft. above ravine,slopes W.

71.90 Bottom of draw,70 ft. below spur,course,S.30°W.

82.44 Intersect S. bdy. of T.38 N.,R.65 E.,at a point 80 ft.
above draw,and 6.02 chs. S.89°24'E. of the cor. of
secs. 33 and 34. At point of intersection, I set an
iron post,3 ft. long,2 ins. in diam.,24 ins. in the
ground,for closing cor. of secs. 3 and 4,T.37 N.,R.65 E.,
with brass cap mkd.