

## Resurvey of W. bdy. of T. 33 N., R. 49 E.

Chains. S.  $0^{\circ}26'W.$ , on a resurvey line along the W. side of Sec. 31.

41.96 Find no trace of the original  $\frac{1}{4}$  sec. cor. after diligent search.

Set an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for restored  $\frac{1}{4}$  sec. cor. for sec. 31, only, marked on brass cap  $\frac{1}{4}$  S 31

And raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high, E. of cor. 1916.  
83.92 The reestablished cor. of Tps. 32 and 33 N. R. 49 and 50 E.

## Resurvey of Subdivision of T. 33 N., R. 49 E.

The old Maxson cor. of secs. 25, 30, 31, and 36, which is a cedar post, 3 X  $2\frac{1}{2}$  ins. sq. 18 ins. above the ground, marked T 35 N S 30, on NE., R 50 E. S 31, on SE., S 36 on SW. and S 25 on NW. faces, with 5 notches on N. and 1 notch on S edges.

N.  $89^{\circ}51'W.$  on a retracement line bet. secs. 25 and 36.  
39.88 Fall 48 lks. N. of The original  $\frac{1}{4}$  sec. cor., which is a cedar post,  $2\frac{1}{2}$  ins. sq. 4ft. long, loose on top of old mound of earth, and marked  $\frac{1}{4}$  S., on N. face; I re-establish it as follows:

Set the cedar post, also an iron post, 3 ft. long, 1 in. in diam., 26 ins. in the ground, for reestablished  $\frac{1}{4}$  sec. cor. marked on brass cap  $\frac{1}{4}$  S 25

S 36.  
1916.  
Dig pits, 18 X 18 X 12 ins. E. and W. of post., 3 ft. dist. and raise a mound of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high N. of cor.

Thence

N.  $89^{\circ}28'E.$ , on a resurvey line bet. secs. 25 and 36.  
38.31 Intersect restored E. bdy. of Tp. 8.08 chs. N.  $0^{\circ}26'E.$  from the cor. of secs. 30 and 31 (restored).  
Set an iron post, 3 ft. long, 2 ins. in diam., 26 ins. in