

Chains

Thence West on a Sectional Correction line, between secs. 25 and 36.

Over rolling mountainous land, thru dense sage. Desc.

23.00 Hollow, 50 ft. below $\frac{1}{4}$ sec. cor., course SW. Asc.

30.50 Road, bears N. and S. On ridge, bearing N. and S. Desc.

40.00 Set an iron post 3 ft. long, 1 in. in dia., 26 ins. in the ground for the $\frac{1}{4}$ sec. cor., with brass cap mkd:

$\frac{1}{4}$ S25
S 36
1914

and raise a mound of stone 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

80.00 Set an iron post 3 ft. long, 2 ins. in dia., 24 ins. in the ground for the cor. of secs. 25, 26, 35 and 36, with brass cap mkd:

T31N	R50E
S26	S25
S35	S36
1914	

and raise a mound of stone 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

Land mountainous. Smooth slopes.

Soils, white clay loam and rocky; 2nd rate.

No timber. Undergrowth, sagebrush. Good grass.

December 15, 1914: At this corner, at 11 h 55 m, a.m., 1.m.t., I set off $23^{\circ}14'S$. on the decl. arc, and observe the sun on the meridian, the resulting lat. is $40^{\circ}28'N$.

December 15, 1914.

S.P. Stewart,

U. S. Surveyor.

By Ruban W. Riley, U.S. Transitman.

Survey commenced December 15, 1914, and executed with a Young and Sons light mountain transit No.8146. For description of instrument and test see Retracement and Resurvey of Subdivisions.

At the cor. of secs. 25, 26, 35 and 36, at 11 h 55 m, a.m., 1.m.t., I set off $23^{\circ}14'S$. on the decl. arc; and observe the sun on the meridian, the resulting latitude is $40^{\circ}28'N$.

Thence $S.0^{\circ}18'E$. on a true line between secs. 35 and 36. Over mountainous land; thru dense sagebrush.

Asc.

9.00 Top of spur, 20 ft. above sec. cor., bears NE. and SW. Desc.

15.70 Hollow, 30 ft. below spur, course E. Asc.

40.00 Flat ridge, 40 ft. above hollow, bears E. and W.

Set an iron post 3 ft. long, 1 in. in dia., 26 ins. in the ground for the $\frac{1}{4}$ sec. cor., with brass cap mkd:

$\frac{1}{4}$ S35	S36
1914	

and raise a mound of stone 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

December 15, 1914.

May 25, 1916.

By Scott P. Stewart, U.S. Surveyor.

Thence over rolling land, thru dense sagebrush.

Desc.

55.00 Ravine, 30 ft. below $\frac{1}{4}$ sec. cor., course E.

Asc.

82.00 Top of ridge, 50 ft. above ravine, bears E. and W.

Desc.

97.85 Bottom of hollow, 80 ft. below ridge, course $S.70^{\circ}E$.

Asc.

98.24 Intersect the restored 6th Std. Par. N., at a point