

Chains

Thence N.89°47'E. on a true line between secs. 1 and 12.
Over mountainous land.

Desc. on E. slope of ridge thru dense sagebrush.

7.40 Draw, 50 ft. below sec. cor., course S.10°E., asc.

11.60 Spur, 10 ft. below draw, projects S.10°E., desc.

21.60 Draw, 30 ft. below spur, course N.15°W., desc.

40.00 Set an iron post 3 ft. long, 1 in. in dia. 26 ins. in the ground for the $\frac{1}{4}$ sec. cor. for secs. 1 and 12, with brass cap mkd:

$$\begin{array}{r} S \ 1' \\ \frac{1}{4} \\ \hline S \ 12' \\ 1914 \end{array}$$

and raise a mound of stone 2 ft. base, $1\frac{1}{2}$ ft. high,
N. of cor.

Corner is set 250 ft. above draw, on NW. slope of spur.

At this corner, at 11 h 46 m, a.m., l.m.t., I set
off 20°17'S. on the decl. arc; and observe the sun on
the meridian, the resulting latitude is 40°37'.

44.00 Ridge, 30 ft. above $\frac{1}{4}$ sec. cor., bears N. and S., desc.

68.30 Ravine, 300 ft. below ridge, course S.10°E., asc.

80.00 Ridge, 80 ft. above ravine, bears N.30°W. and S.30°E.,
desc.

80.87 Intersect E. Bdy. of Tp. 1.19 chs. S.0°02'W. of the
Angle Point heretofore described.

At point of intersection, set an iron post 3 ft. long,
2 ins. in dia., 24 ins. in the ground for the closing
corner of secs. 1 and 12, with brass cap mkd:

$$\begin{array}{c} T32N \\ AP \\ \downarrow \\ R50E \quad \frac{S1}{S12} \quad cc \quad R51E \\ \hline 1914 \end{array}$$

and raise a mound of stone 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.

Land, mountainous.

Soil, light clay loam, 1st rate, subsoil same.

No timber.

Undergrowth, dense sagebrush, good grass for grazing.

Drainage S., thence SW.

Thence N. on a Sectional Guide Meridian between secs. 1
and 2.

Over mountainous land.

Ascend on W., thence SW. slope of ridge thru sagebrush.

20.90 Ridge, 130 ft. above sec. cor., bears S.40°E. and
N.60°W., desc.

29.50 Draw, 70 ft. below ridge, bears N.50°E., asc.

40.00 100 ft. above draw on E. slope of ridge.

Set an iron post 3 ft. long, 1 in. in dia., 26 ins.
in the ground for the $\frac{1}{4}$ sec. cor. for secs. 1 and 2,
with brass cap mkd:

$$\begin{array}{r} \frac{1}{4}S2 \quad S1 \\ \hline 1914 \end{array}$$

and raise a mound of stone 2 ft. base, $1\frac{1}{2}$ ft. high,
W. of cor.

57.50 Spur, 200 ft. above corner, projects N.80°E., desc.

71.00 Draw, 50 ft. below spur, course S.80°E., asc.

85.20 Ridge, 70 ft. above draw, bears E. and W.

89.02 Intersect N. Bdy. of Township 3.34 chs. East of cor.
of secs. 35 and 36, heretofore described.

Spur, course S.70°E.

At point of intersection, set an iron post 3 ft. long,
2 ins. in dia., 24 ins. in the ground for the closing
corner of secs. 1 and 2, with brass cap mkd: