

Chains

East on a random line between secs. 28 and 33,
 40.00 Set a temp. $\frac{1}{4}$ sec. cor.
 79.97 Intersect the N. and S. line, $1/2$ lk. S. of the cor.
 of secs. 27, 28, 33 and 34.
 Thence West on a true line between secs. 28 and 33.
 Over mountainous land.
 Ascend on SE. slope of spur, through dense sagebrush.
 9.97 Spur, 270 ft. above sec. cor., projects S.60°W., desc.
 34.00 Bottom of steep descent, 260 ft. below spur, thence
 across draw.
 39.87 Bottom of draw, 270 ft. below spur, course S., asc.
 39.985 Set an iron post 3 ft. long, 1 in. in dia., 26 ins.
 in the ground for the $\frac{1}{4}$ sec. cor., with brass cap
 mkd:

S 28
 $\frac{1}{4}$
 ———
 S 33
 1914

and raise a mound of stone 2 ft. base, $1\frac{1}{2}$ ft. high,
 N. of cor.

September 21:

At this corner, at 11 h 53 m, a.m., l.m.t., I set off
 0°49'N. on the decl. arc; and observe the sun on the
 meridian, the resulting lat. is 40°49'.

51.00 Top of high knoll, 220 ft. above $\frac{1}{4}$ sec. cor., bears
 NE. and SW., desc.

79.97 420 ft. below knoll.

The cor. of secs. 28, 29, 32 and 33.

Land; mountainous.

Soil, E. 10 chs. shale and solid rock; W. 70 chs. rocky
 clay loam with same subsoil, 3rd rate.

No timber.

Undergrowth, dense sagebrush, good grass for grazing.

General drainage SW.

West on a true line between secs. 29 and 32.

Over rolling land.

Descend through sagebrush.

6.10 Wash, 2 ft. deep, 7 lks. wide, 50 ft. below sec. cor.,
 course S.

8.50 Spur, 15 ft. above wash, projects S., desc.

24.00 Wash, 14 ins. deep, 15 lks. wide, 120 ft. below spur,
 course S.60°W., asc. very gently.

40.00 Set an iron post 3 ft. long, 1 in. in dia., 26 ins. in
 the ground for the $\frac{1}{4}$ sec. cor., with brass cap mkd:

S 29
 $\frac{1}{4}$
 ———
 S 32
 1914

and raise a mound of stone 2 ft. base, $1\frac{1}{2}$ ft. high,
 N. of cor.

Along S. slope of small ridge.

62.04 Intersect W. Bdy. of Tp., at 159 lks. S.0°16'W. of the
 cor. of secs. 25 and 36, heretofore described.

On S. slope of small ridge.

Set an iron post 3 ft. long, 2 ins. in dia., 24 ins.
 in the ground for the closing cor. of secs. 29 and 32,
 with brass cap mkd:

T 35 N
 R49E | R50E
 S25 |
 S36 |
 cc | S29
 S32
 1914