

38.

Subdivision of T. 32 N., R. 59 E.

Chs.

111.31

Intersect the W. bdy. of the Tp., 35 lks. N. of a point previously determined for the cor. of secs. 6 and 7, which is 16.90 chs. S. of the cor. of secs. 1 and 12. At this point I establish a permanent cor. as follows: Set an iron post 3 ft. long, 2 ins. in diam., on solid rock and in^a mound of stone for cor. of secs. 6 and 7, with brass cap mkd:

T32N. ✓
S6
S7
R59E
1916

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, E. of cor.

From this cor. just established,

N. $89^{\circ}49'$ E. on a true line bet. secs. 6 and 7.

Over steep and rugged mountainous land, through dense undergrowth and scattering timber; asc. abruptly over series of ledges 20 to 100 ft. high, bearing N. and S.

20.85 Top of rugged ridge, 380 ft. above sec. cor., bears NW. and SE.; asc. across the head of canyon, course NW.

50.15 Top of ridge, 210 ft. above the ridge at 20.85 chs., bears N. 10° W. and S. 10° E.; desc. NE. slope.

71.31 Set an iron post 3 ft. long, 1 in. in diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., with brass cap mkd:

S 6.
 $\frac{1}{4}$ S 7
1916

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor. This cor. is 300 ft. below top of ridge.

111.31 The cor. of secs. 5, 6, 7 and 8, 580 ft. below $\frac{1}{4}$ sec. cor.

Land; mountainous, exceptionally rough and rugged of granite and quartzite formation.

Soil, very shallow; mostly rock in the form of ledges, cliffs, boulders and slide rock.

Timber, scattering spruce, nut pine and mahogany.