

16.

Subdivisions of T. 15 N., R. 24 E.

Chains

of cor.

40.17

N. $0^{\circ} 14' E.$, resurveying bet. secs. 1 and 2.
On W. slope.

The old $\frac{1}{4}$ cor. of secs. 1 and 2, which I reestablish with an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the ground, alongside of stone, with brass cap mkd.,

$\frac{1}{4}$
 S2 | S1
 1915

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high W. of cor.

79.08

Thence N. $0^{\circ} 6' W.$

The closing cor. of secs. 1 and 2, on N. bdy. of Tp., which I reestablish with an iron post 3 ft. long, 2 ins. in dia. 24 ins. in the ground, alongside of stone, with brass cap mkd.,

T16NR24E
 S35 | S36
 CC
 S2 | S1
 T15N
 1915

and rebuild a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high S. of corner.

June 25, 1915.

SUBDIVISIONS OF T. 15 N., R. 24 EAST

June 28: At 8h 2m a.m., l.m.t., I set off $39^{\circ} 6'$ on the lat. arc; $23^{\circ} 20' N.$ on the decl. arc; and determine a meridian at the cor. of secs. 2, 3, 34 and 35 on S. bdy. of Tp., heretofore described.

Thence,

North, on a true line bet. secs. 34 and 35.

Over hilly and rolling mountainous land.

1.50

Top of rocky hill, descend N. slope 120 ft.

6.90

Base of hill, and wash, 60 lks. wide, 2 ft. deep, course E.

10.00

Thence up along same wash.

24.65

Leave same, from N. $70^{\circ} W.$; ascend along SW. slope, 150 ft. to

40.00

On W. slope.

Set an iron post, 3 ft. long, 1 in. in dia., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., with brass cap mkd.,

$\frac{1}{4}$
 S34 | S35
 1915

and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high W. of corner.

46.00

Ridge, 40 ft. above $\frac{1}{4}$ cor., bears NE. and SW.; descend 60 ft.

49.84

Draw, course NE.; ascend 5 ft. along E. face of hill.

54.80

E. side of hill, bears E.; descend 30 ft.

57.80

Head of canyon, course E. to NE.; ascend 100 ft.

62.60

Top of white rocky point, extends E. 1 ch., bears NW.